

## RAPID ANTIGENS TEST RESULTS REPORT FOR SARS-CoV-2

**PATIENT'S NAME:** NOMBRE APP1 APP2  
**ID/PASSPORT:** IDENTIFICACION  
**DATE OF BIRTH:** 20/11/1995  
**GENDER:** MUJER  
**REASON:** Motivo de la prueba de ejemplo  
**SAMPLE CODE:** TEST CODE  
**TEST NAME:** Rapid Antigen test for SARS-CoV-2.  
**SAMPLE RECEIVED:** Nasopharyngeal swab.  
**METHOD:** One-step immunochromatographic.

### OBJECTIVE OF THE TEST

The SARS-CoV-2 Rapid Antigen Test is a one-step immunochromatographic test for the qualitative detection of SARS-CoV-2 nucleoprotein antigens from nasopharyngeal swab samples. The test used is the CerTest SARS-CoV-2 card test.

### RESULTS INTERPREATION


A positive result determines the presence of SARS-CoV-2 antigens. A diagnosis of SARS-CoV-2 infection should be evaluated by a specialist considering the clinical and laboratory findings based on the correlation between these results and the clinical observations.

A negative result does not exclude the possibility of a SARS-CoV-2 infection.

The test will give negative results under the following conditions: the antigen concentration is lower than the minimum limit detected by the test, or the antigens against SARS-CoV-2 were not present at the time of sample collection.

Sensitivity and specificity (mean values) compared with the reference method RT-PCR:

Sensitivity: 92,90% (CI\*: 76,5%-99,1%)  
Specificity: 99,60% (CI\*: 97,6%-100%)  
\* Confidence interval



C: Control line

T: Line for antigens detection

Rapid Antigen Test Result for SARS-CoV-2

RESULTADO

The procedure and the results obtained have been validated by:

Name and surname:

Test Doctor